

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**Paper No.: X**

**DATE** : February 27, 2008

**TO SPE OF** : ART UNIT 3754

**SUBJECT** : Request for Certificate of Correction for Appl. No.: 10/608279 Patent No.: 7198162 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code **COCX**.

**DO NOT SENT TO ATTORNEY**

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**

**South Tower - 9A22**

**Palm Location 7580**

You can fax the Directors/SPE response to 571-270-9990

***LAMONTE NEWSOME***

**Certificates of Correction Branch**

**703-308-9390 ext. 112**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

**All changes apply.**

☐ **Approved in Part**

**Specify below which changes **do not** apply.**

☐ **Denied**

**State the reasons for denial below.**

**Comments:**

\_\_\_\_\_ The request for a certificate of correction for an error in the specification and in the drawing is accepted. However I don't know why the amendments of the request including the copy of the amendment of the claim and remarks dated 7/31/06, which will not be accepted.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

---

---

Lien Ngo

Primary examiner

5/1/08

**SPE**

**Art Unit**